

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Public Services – MA&UD Department – Repalle Municipality – Allegations against Sri M.Yedukondalu, the then Assistant Engineer, Public Health Sub-division, Repalle and Sri T.Sampath Kumar, the then Executive Engineer, Public Health Division, Guntur on the allegation of irregularities against the Engineering staff about execution of poor quality of works and recommended for payment in Repalle Municipality in Guntur District – Disciplinary proceedings initiated under Rule-20 of APCS (CC&A) Rules, 1991 - Appointment of Sri K. Venugopala Rao, Chief Engineer, APTIDCO, Vijayawada as an Inquiry Officer -Orders – Issued.

=====

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.RT.No.76

Dated:06.02.2025
Read the following:-

1. From the DG, GA(V&E) Dept., Vigilance Report No.13 (C.No.1302/V&E/2016), Dt.17.06.2022.
2. G.O.Rt.Nos.716 to 717, MA&UD(Vig.II) Dept., dt.20.09.2024.
3. WSDs received from Sri. M.Yedukondalu, the then Assistant Engineer and Sri. Sampath Kumar, the then Executive Engineer.

ORDER:

Whereas, an inquiry under Rule 20 of the A.P. Civil Services (CC&A) Rules, 1991, is being held against Sri M.Yedukondalu, the then Assistant Engineer, Public Health Sub-division, Repalle and Sri T.Sampath Kumar, the then Executive Engineer, Public Health Division, Guntur on the allegation of irregularities against the Engineering staff about execution of poor quality of works and recommended for payment in Repalle Municipality in Guntur District.

2. Whereas, Government after careful examination of the matter, it is considered that an Inquiry Officer should be appointed to inquire into the charges framed against above charged officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoint Sri K. Venugopala Rao, Chief Engineer, APTIDCO, Vijayawada as an Inquiry Officer to inquire into charges framed against the above charged officers.

4. The Inquiry Officer shall conduct the inquiry as per A.P.C.S. (CC&A) Rules, 1991 and submit his enquiry report to Government within a period of three months.

(P.T.O)

::2::


5. The Engineer – In – Chief, Public Health, A.P., Tadepalli shall provide the required material such as Article of Charges explanation of the Charged Officers etc., to the Inquiry Officer.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S. SURESH KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri K. Venugopala Rao, Chief Engineer, APTIDCO, Vijayawada & Inquiry
Officer through The EnC (PH), A.P., Tadepalli.
The Municipal Commissioner, Repalle & Presenting Officer through
The EnC (PH), A.P., Tadepalli.
All the Charged officers through The EnC (PH), A.P., Tadepalli.
The Engineer – In – Chief, Public Health, A.P., Tadepalli
Sf/Sc
(E -1840534).

//FORWARDED BY ORDER//


SECTION OFFICER
